

## Charge, Currents & circuits

Name & Set

Charge on an electron,  $e = -1.6 \times 10^{-19} \text{ C}$   
Avogadro's constant  $N_A = 6.02 \times 10^{23}$  per mole

- 1 How many electrons per second are passing through a wire if the current is 1.00 mA, given that the charge carried by each electron is  $1.6 \times 10^{-19} \text{ C}$ ? Does the cross-section of the wire make a difference to your answer?

---

---

---

---

[2]

- 2 The drift speed of electrons in a particular wire of cross-sectional area  $4.0 \text{ mm}^2$  is  $0.50 \text{ mms}^{-1}$ . There are  $1.0 \times 10^{29}$  electrons in each cubic metre of wire. The length of the wire is 12 mm.
- (a) How long will it take all the electrons to drift through one end face?

---

---

---

[2]

- (b) How many electrons are there within this wire?

---

---

---

[2]

- (c) What is the total charge transferred by the electrons?

---

---

---

[2]

- (d) By considering the rate at which charge leaves the wire calculate the magnitude of the current.

---

---

---

[2]

AS Electricity

- 3 When a current of 4.0 A flows through a piece of wire that has a cross-sectional area of  $2.0 \times 10^{-6} \text{ m}^2$ , the average drift velocity of the electrons is  $2.5 \times 10^{-4} \text{ ms}^{-1}$ . Use these values to calculate the number of free electrons per unit volume of the material.

---

---

---

---

[2]

- 4 It is generally accepted that the maximum safe current density for any wire made of copper is  $1.0 \times 10^7 \text{ Am}^{-1}$ . If there are  $1.0 \times 10^{29}$  free electrons per cubic metre of copper, calculate the mean drift velocity of these electrons when the current reaches this density.

---

---

---

---

[2]

- 5 Calculate the mean drift velocity of the electrons when the current through a wire of cross-sectional area  $1 \text{ mm}^2$  is 1 A. Take the number density,  $n$ , of the free electrons to be  $5 \times 10^{28} \text{ m}^{-3}$

---

---

---

---

[2]

- 6 Copper has a density of  $8.9 \times 10^3 \text{ kgm}^{-3}$  and a relative atomic mass of 64. A particular copper wire has a cross-sectional area of  $0.10 \text{ mm}^2$  and carries a current of 2.0 A. Calculate

(a) the number density of copper atoms

---

---

---

---

[2]

(b) the number density,  $n$ , of conduction electrons (assume that each atom contributes *one* free electron)

---

---

---

---

[2]

(c) the drift speed of an electron for this current.

---

---

---

---

[2]

## AS Electricity

- 7 The resistivity of aluminium at room temperature is  $3.2 \times 10^{-8} \Omega\text{m}$ . Assuming that it has  $5 \times 10^{28}$  free electrons per cubic metre, calculate the drift velocity of the electrons if a potential gradient of  $1 \text{ Vm}^{-1}$  were applied a wire made from aluminium.

[2]

- 8 Copper contains  $10^{29}$  free electrons per cubic meter and its resistivity is  $1.72 \times 10^{-8} \Omega\text{m}$ . A potential difference of 10 mV is set up between two points 10 cm apart on a uniform wire. Calculate the average drift velocity with which the electrons will move through the wire.

[2]

- 9 Explain how and why the resistance of a good conductor (i.e. a material that obeys Ohm's law) is affected by a change in its temperature. Explain also why the resistance of a semiconductor drops when its temperature is increased.

[2]

- 10 Show that the drift velocity,  $v$ , in *any* conductor is proportional to the electric field,  $E$ , applied to it.

[2]

### Answers: CURRENT & DRIFT VELOCITY

- 1  $6.25 \times 10^{15}$   
2 (a) 24 secs (b)  $4.8 \times 10^{21}$  (c) 768 C (d) 32 A  
3  $n = 5 \times 10^{28} \text{ m}^{-3}$   
4  $v = 6.25 \times 10^{-4} \text{ ms}^{-1}$   
5  $1.25 \times 10^{-4} \text{ ms}^{-1}$   
6 (a) & (b)  $8.4 \times 10^{28} \text{ m}^{-3}$  (c)  $1.5 \text{ mm s}^{-1}$   
7  $3.9 \text{ mm s}^{-1}$   
8  $3.63 \times 10^{-4} \text{ ms}^{-1}$